

WEST Search History for Application 10799363

Creation Date: 2009082017:37

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
7269627.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
rout\$3 adj object with (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
rout\$3 adj object with (message or pay\$1load)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(rout\$3 adj object with (message or pay\$1load)) and (api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
access with (message or pay\$1load) with (name or namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and (access with (message or pay\$1load) with (name or namespace))	PGPB, USPT, USOC,	OR	YES		08-20-2009

	EPAB, JPAB, DWPI, TDBD				
((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and access with (message or pay\$1load) with (name or namespace)) and (access with (message or pay\$1load) with (name or namespace))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and access with (message or pay\$1load) with (name or namespace) and access with (message or pay\$1load) with (name or namespace)) and (payload or message) near context with (abstract\$3 or api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(payload or message) near context with (abstract\$3 or api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(payload or message) near context	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((payload or message) near context) and (message or pay\$1load) with (name or namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((payload or message) near context) and (message or pay\$1load) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009

(context or rout\$3 or content) adj object with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(message or pay\$1load) ith (abstract\$3 or api or application near interface) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(message or pay\$1load) with (abstract\$3 or api or application near interface) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and (((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and ((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)) @ad<20040312	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((pass\$3 or send\$3 or rout\$3) with (message or pay\$1load) and ((message or pay\$1load) or (abstract\$3 or api or application near interface)) with (name and namespace)) and @ad<20040312	PGPB, USPT, USOC, EPAB,	OR	YES		08-20-2009

	JPAB, DWPI, TDBD				
(message or pay\$load) adj object (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(message or pay\$load) adj object with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(message or pay\$load) adj object with (namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(707/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(719/313 719/315 719/316).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
		OR	YES		08-20-2009

((719/313 719/315 719/316).ccls.) or ((709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.) or ((707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)).ab, ti, clm.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
rules with (send\$3 or rout\$3) near message	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(rules with (send\$3 or rout\$3) near message) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
access\$3 with (message or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))	PGPB, USPT, USOC, EPAB,	OR	YES		08-20-2009

	JPAB, DWPI, TDBD				
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (access\$3 with (message or payload))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and access\$3 with (message or payload)) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.) and (((api or application near interface or abstract\$3 or transparen\$2) near (message near (content or data) or payload)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
Context near objects with access\$3 with (message or payload)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
Context near objects with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
Context near objects same (name and namespace)		OR	YES		08-20-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload))) and (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(((api or application near interface or abstract\$3 or transparen\$2) with(message near (content or data) or payload)) and (name and namespace))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
message near context with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
message near (information or data or content) with (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
message near (object or information or data or content) with repository	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(message near (object or information or data or content) with repository) and (rules with (send\$3 or rout\$3) near message)	PGPB, USPT, USOC, EPAB,	OR	YES		08-20-2009

	JPAB, DWPI, TDBD				
(pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and (name and namespace)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3) and (name and namespace)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(pass\$3 or send\$3 or rout\$3) near message with (Context near objects)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
namespace with (Context near objects)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
namespace with (Context or message) near (objects or information or data)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
namespace with Context with (payload or message)		OR	YES		08-20-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
Context with (payload or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(Context with (payload or message)) and ((pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(Context with (payload or message) and (pass\$3 or send\$3 or rout\$3) near message with (Context near objects or api or application near interface or abstract\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
rules near (send\$3 or rout\$3) and ((api or Application near interface) with ((payload or message) near pass\$3 or send\$3 or rout\$3) and (719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204	PGPB, USPT, USOC, EPAB,	OR	YES		08-20-2009

709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	JPAB, DWPI, TDBD				
(api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3))) and rules near (send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((api or Application near interface) with ((payload or message) near (pass\$3 or send\$3 or rout\$3)) and rules near (send\$3 or rout\$3)) and ((719/313 719/315 719/316).ccls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls. or (707/10).ccls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(Context near objects) with (payload or message)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((Context near objects) with (payload or message)) and ((payload or message) near pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
((Context near objects) with (payload or message)) and (payload or message) near (pass\$3 or send\$3 or rout\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
access with (message or pay\$load) with name		OR	YES		08-20-2009

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(access with (message or payload) with name) and ((719/313 719/315 719/316).cls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cls. or (707/10).cls.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009
(access with (message or payload) with name and (719/313 719/315 719/316).cls. or (709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).cls. or (707/10).cls.) and (payload or message) with (abstract\$3 or api or application near interface)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		08-20-2009